
: CABIN FLOOR PROTECTOR



lente:

Tuesday, 14/10/2008 2:05:03 PM

Julie Lecocq

## **Process Sheet**

Customer

: CU-DAR001 Dart Helicopters Services

Job Number

: 42593

**Estimate Number** 

: 12972

P.O. Number

This Issue : 14/10/2008

: NC

Prsht Rev.

First Issue **Previous Run**  : //

: 40655

S.O. No. :

Type

: SMALL /MED FAB

Part Number

**Drawing Name** 

: D35756 . D3575 REV.A

**Drawing Number** Project Number

: N/A

**Drawing Revision** 

Material Due Date

: 17/10/2008

Qty:

3 Um:

Each

Checked & Approved By

Comment

Written By

: Est Rev : A New Issue 07.07.23

EC

verified by:JLM

**Additional Product** 

Job Number:



Seq. #:

1.0

**Machine Or Operation:** 

Description:

GE PLASTICS LEXAN SHEET

Comment: Qty.: 11.1993 sf(s)/Unit

lexan sheet

33.5979 sf(s)

Batch: 109455

2 1015

INSPECT PARTS AS THEY COME OFF MACHINE

2.0

WATER JET



1-Cut as per Dwg D3575

Dwg Rev: P Prog Rev: A

2-Deburr if necessary

3.0

QC2

Comment: INSPECT PARTS AS THEY COME OFF MACHINE

4.0

QC8

SECOND CHECK

Comment: SECOND

5.0

SMALL FAB 1

SMALL & MEDIUM FAB RESOURCE 1



Comment: SMALL & MEDIUM FAB RESOURCE 1

Deburr if necessary.

## **Dart Aerospace Ltd**

<b>D</b> uit 710	. oopaoo E	-tu							
W/O:			WO	RK ORDER CHANGI	ES	·			
DATE STEP		PROCEDURE CHANGE			Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
				•					
						······································			
Part No	:	PAR #:	Fault Categ	jory:	NCR: Yes	No <b>DQ</b>	A:	Date: _	
	Res	solution:	Disposition	);	QA: N/C C	osed:		Date: _	
NCR:		,	WORK ORDE	R NON-CONFORMA	NCE (NCF	R)			
		STED Description of NC		on B	Verifi	Verification Section C Approval Chief Eng	Approval		
DATE	STEP Description of NC Section A	Initial Chief Eng	Action Description Chief Eng	Sign 8 Date	Sect			QC Inspector	

NOTE: Date & initial all entries

Date: Tuesday, 14/10/2008 2:05:03 PM User: Julie Lecocq **Process Sheet** Drawing Name: CABIN FLOOR PROTECTOR Customer: CU-DAR001 Dart Helicopters Services Part Number: D35756 Job Number: 42593 Job Number: Seq. #: Description: **Machine Or Operation:** INSPECT WORK TO CURRENT STEP 6.0 QC5 Comment: INSPECT WORK TO CURRENT STEP PACKAGING RESOURCE #1 PACKAGING 1 7.0 Comment: PACKAGING RESOURCE #1 Identify with P/N and B/N using a permanent fine point marker, then Stock Location: PL FINAL INSPECTION/W/O RELEASE QC21 8.0 Comment: FINAL INSPECTION/W/O RELEASE Job Completion

W 08:10-17

Dart Aerospace	e Ltd
----------------	-------

Duitho	. Ospacc E	-tu								
W/O:		<u> </u>	WO	RK ORDER CHANG	ES					
DATE STEP		PROCEDURE CHANGE			Ву		Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
					į					
							·			
							,			
Part No		PAR #:					, 16			
	Res	solution:	Disposition		_ QA: N/C	Clos	ed:		Date: _	
NCR:		\	WORK ORDE	R NON-CONFORMA	NCE (N	CR)				
DATE	STEP	Description of NC	Corrective Action Section				Verification		Approval	Approval
DATE		Section A	Initial Chief Eng	Action Description Chief Eng		Sign & Section C		Chief Eng	QC Inspector	
<del></del> -							3			
		·								

NOTE: Date & initial all entries

DART AEROSPACE LTD	Work Order:	42593
Description: Cabin Floor Protector	Part Number:	D3575-6
Inspection Dwg: D3575 Rev: A		Page 1 of 1

## FIRST ARTICLE INSPECTION CHECKLIST

X	First Article	Prototype
---	---------------	-----------

Drawing	Tolerance	Actual Acce		Reject	Method of	Comments	
Dimension		Dimension			Inspection		
Ø3.00	+0.006/-0.001	3.00	1		VerN		
3.38	+/-0.030	3.376	<b>/</b>	_	Ver 1		
6.50	+/-0.030	6.50	1		verN		
26.13	+/-0.030	26.13	1		M.T		
30.13	+/-0.030	30.13	1		M.T		
2.00	+/-0.030	2.003	V		Vern		
3.50	+/-0.030	3.504	J		vern		
14.25	+/-0.030	14.25	<b>✓</b>		M.T	·	
25.13	+/-0.030	25.13	<b>√</b>		M.T		
29.38	+/-0.030	29.38	1		M.T		
30.38	+/-0.030	30.38	<b>V</b>		MT	-	
31.50	+/-0.030	31.50	<b>I</b>		M.T		
1.00	+/-0.030	1.00	J		Vern	_	
4.38	+/-0.030	4.38	V		M.T		
14.50	+/-0.030	14.50			MIT		
16.00	+/-0.030	16.00	1		M.T		
23.13	+/-0.030	23.13	<b>V</b>		M.T		
26.88	+/-0.030	26.88	$\vee$		M.T		
27.69	+/-0.030	27.69	√ /		m.T		
1.00	+/-0.030	1.00	V		VerN		
3.75	+/-0.030	3.75	/		VEN		
9.63	+/-0.030	9.63	<b>I</b>		MJ	-	
16.13	+/-0.030	16.13	$\sqrt{}$		M.T		
28.06	+/-0.030	28.06	J		MI		
32.15	+/-0.030	32,15	<b>V</b>		MT		

Measured by: M. M Audited by: Prototype Approval: N/A


Date: 08 10 15

Date: 08 (5) (6)


Date: N/A

Rev	Date	Change		DY <sub>LA</sub>	Approved
Α	08.01.16	New Issue	KJ//DD	of	





SUBJECT TO AMENDMENT



# D3575-1 CABIN FLOOR PROTECTOR (SHOWN) D3575-2 CABIN FLOOR PROTECTOR (OPPOSITE)


NOTES:

- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3575-1/-2" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8966


Copyright @ 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.





WITHOUT NOTICE



### D3575-3 CABIN FLOOR PROTECTOR


WORKORE NOTES: 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 MICK, TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)


- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3575-3" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8967

Copyright @ 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.








#### NOTES:


- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3575-4" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8968

Copyright @ 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.







### NOTES:

- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3575-5/-6" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8969

Copyright © 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.